



Syntax & Semantics WiSe 2020/2021

Lecture 24: Syntax & Semantics Interface



Overview

Q&As

Section 1: Recap of Lecture 23

Section 2: Valency in Syntax and Semantics

- Valency in Syntax

- Valency in Semantics

- Filling of Arguments

- 0-Valence and Truth Values

Section 3: Formal Composition

- Type Theory

- Semantic Functions

- Recursive Application

Section 4: Translating Syntactic into Semantic Trees

Summary

References



Semantics Lectures

- ▶ **Lecture 21: Semantics Introduction**
Kroeger (2019), Chapters 1-2 and Chapters 5-6.
- ▶ **Lecture 22: Propositional Logic**
Kroeger (2019), Chapter 3-4.
Zimmermann & Sternefeld (2013), Chapter 7.
- ▶ **Lecture 23: Predicate Logic**
Kroeger (2019), Chapter 4.
Zimmermann & Sternefeld (2013), Chapter 10 (p. 244-258).
- ▶ **Lecture 24: Syntax & Semantics Interface**
Kearns (2011), Chapter 4.
Zimmermann & Sternefeld (2013), Chapter 4.

Q&As

Section 1: Recap
of Lecture 23

Section 2:
Valency in Syntax
and Semantics

Section 3: Formal
Composition

Section 4:
Translating
Syntactic into
Semantic Trees

Summary

References



Q&As



Tutorial Week 10

If we assume that the English word ‘uncle’ has different meanings which are reflected in different words in other languages, e.g. Croatian ‘ujak’ (mother’s brother), ‘stric’ (father’s brother), ‘tetak’ (father’s or mother’s brother), would we then say that the identity test fails and that this is not genuine ambiguity in English?

Yes, I would argue that this is similar to the example with *cousin* in English:

John saw her uncle, and so did Bill.

While this would be mostly read as *uncle* referring to the same person, in a marked usage it could also be used to refer to two different uncles (mother’s side and father’s side). So *uncle* in English is not genuinely ambiguous but *indeterminate* with regards to the exact family relationship.

Q&As

Section 1: Recap of Lecture 23

Section 2: Valency in Syntax and Semantics

Section 3: Formal Composition

Section 4: Translating Syntactic into Semantic Trees

Summary

References



Tutorial Week 10

Follow up question on the identity test: If we use a proper noun like 'house' in:

John saw her house, and so did Bill.

Couldn't it be that this refers to two different houses? Wouldn't this mean that the identity test would fail quite generally for proper nouns, and that these cannot be said to be genuinely ambiguous?

This is a good point. Indeed, in the example with *house* we would certainly not consider it an ambiguity but an *indeterminacy* which house it is (if there are two). Contrast this with a noun which is considered genuinely ambiguous:

John saw her at the bank, and so did Bill.

Here, (arguably?) *bank* has to refer either to the *river bank* or to the *institution*, but not both. I think it is true though that the identity test yields a clearer result if a word is ambiguous between a verb and a noun reading like in the case of *duck*.

Q&As

Section 1: Recap of Lecture 23

Section 2: Valency in Syntax and Semantics

Section 3: Formal Composition

Section 4: Translating Syntactic into Semantic Trees

Summary

References



Tutorial Week 10

There is a sense of ‘carry’ which does not involve movement from A to B, and which has as its synonym ‘to support’. Doesn’t this change the outcome of some of these tests, since there is a genuine ambiguity between ‘to carry from A to B’ and ‘to support’?

Well, it is true that there is this different sense of *carry* (in the Cambridge Dictionary of English). But note that this is strictly speaking irrelevant for this particular task, since it is asked whether *carry* is ambiguous between “carry over the shoulder” and “carry in one hand”, and not between any other potential senses found in the dictionary.

Q&As

Section 1: Recap
of Lecture 23

Section 2:
Valency in Syntax
and Semantics

Section 3: Formal
Composition

Section 4:
Translating
Syntactic into
Semantic Trees

Summary

References



Section 1: Recap of Lecture 23



“[...] fand ich ein Hindernis in der **Unzulänglichkeit der Sprache**, die bei aller entstehenden Schwerfälligkeit des Ausdruckes doch, je verwickelter die Beziehungen wurden, desto weniger die Genauigkeit erreichen liess, welche mein Zweck verlangte. Aus diesem Bedürfnisse ging der Gedanke der vorliegenden **Begriffsschrift** hervor.”

Frege (1879). Begriffsschrift: Eine der arithmetischen nachgebildete Formelsprache des reinen Denkens, p. X.

Translation: [...] I found the **inadequacy of language** to be an obstacle; no matter how unwieldy the expressions I was ready to accept, I was less and less able, as the relations became more and more complex, to attain the precision that my purpose required. This **deficiency** led me to the idea of the present **ideography**.



Q&As

Section 1: Recap of Lecture 23

Section 2: Valency in Syntax and Semantics

Section 3: Formal Composition

Section 4: Translating Syntactic into Semantic Trees

Summary

References



Logical Symbols

The following types of logical symbols are relevant for our analyses:

- ▶ **Logical operators (connectives)** equivalent to the ones defined in propositional logic: \neg , \wedge , \vee , \rightarrow , \leftrightarrow
- ▶ The **quantifier** symbols: \forall (universal quantifier), \exists (existential quantifier)
- ▶ An infinite set of variables: x , y , z , etc.¹
- ▶ Parentheses ‘()’²

¹This set is called *Var* in Zimmermann & Sternefeld (2013), p. 244.

²Beware: In the propositional logic notation, we used parentheses ‘()’ for disambiguating the reading of a propositional logic expression as in $(p \rightarrow q) \wedge q$. However, in the predicate logic notation, parentheses can also have the function of denoting predicates (see below).

Q&As

Section 1: Recap
of Lecture 23

Section 2:
Valency in Syntax
and Semantics

Section 3: Formal
Composition

Section 4:
Translating
Syntactic into
Semantic Trees

Summary

References



Logical Symbols: Quantifiers

“Standard predicate logic makes use of two quantifier symbols: the **Universal Quantifier** \forall , and the **Existential Quantifier** \exists . As the mathematical examples [below] illustrate, these quantifier symbols **must introduce a variable**, and this variable is said to be bound by the quantifier.”

Kroeger (2019) Analyzing meaning, p. 69.

Examples:

For all x it is the case that x plus x equals x times two.

There is some y for which y plus four equals y divided by three.

Quantifier notation:

$$\forall x(x+x = 2x)$$

$$\exists y(y+4 = y/3)$$

Note: Sometimes square brackets ‘[]’ are used here to illustrate the formulation that the quantifier scopes over. However, we use regular brackets.

Q&As

Section 1: Recap
of Lecture 23

Section 2:
Valency in Syntax
and Semantics

Section 3: Formal
Composition

Section 4:
Translating
Syntactic into
Semantic Trees

Summary

References



Non-Logical Symbols: Predicates

Predicate symbols: these are typically given as upper case letters, and reflect relations between n elements, where $n \geq 0$, and $n \in \mathbb{N}$ (i.e. natural numbers). These are also called **n-ary** or **n-place predicate symbols**: $P(x)$, $P(x, y)$, $Q(x, y)$, etc.

Examples:

x snores

x is honest

x sees y

x gives y z

Predicate notation:

$P(x) \equiv \text{SNORE}(x)$

$Q(x) \equiv \text{HONEST}(x)$

$R(x, y) \equiv \text{SEE}(x, y)$

$S(x, y, z) \equiv \text{GIVE}(x, y, z)$

The single upper case letter notation is used by Zimmermann & Sternefeld (2013), the all capital notation is used by Kroeger (2019). Yet another notation involving primes (e.g. snore' was used earlier in the lecture following Müller (2019)). In the following we will use the notation by Kroeger.

Q&As

Section 1: Recap
of Lecture 23

Section 2:
Valency in Syntax
and Semantics

Section 3: Formal
Composition

Section 4:
Translating
Syntactic into
Semantic Trees

Summary

References



Predicates and Quantifiers

Importantly, formulating predicates which involve **quantifications** requires the usage of particular logical operators, since quantifiers require variables, and the variables then need to be further linked to predicates via logical operators.

- (1) *All students are weary.*
 $\forall x(\text{STUDENT}(x) \rightarrow \text{WEARY}(x))$
 lit. “For all x it is the case that if x is a student, then x is weary.”
- (2) *Some men snore.*
 $\exists x(\text{MAN}(x) \wedge \text{SNORE}(x))$
 lit. “There exists some x for which it is the case that x is a man and x snores.”³
- (3) *No crocodile is warm-blooded.*
 $\neg \exists x(\text{CROCODILE}(x) \wedge \text{WARM-BLOODED}(x))$
 lit. “It is not the case that there is some x for which x is a crocodile and x is warm-blooded.”

³Note that while the plural *men* suggests that we are talking about 2 or more individuals, the predicate logic formulation is valid for 1 or more individual(s).

Q&As

Section 1: Recap
of Lecture 23

Section 2:
Valency in Syntax
and Semantics

Section 3: Formal
Composition

Section 4:
Translating
Syntactic into
Semantic Trees

Summary

References



Multi-Valent Predicates and Quantifiers

In the case of **multi-valent predicates** being combined with **quantifiers**, we typically have a combination of *variables* and *constant symbols* as arguments of the predicates. Indefinite noun phrases are typically translated using the existential quantifier.

- (4) *Mary knows all the professors.*
 $\forall x(\text{PROFESSOR}(x) \rightarrow \text{KNOW}(m,x))$
 lit. “For all x it is the case that if x is a professor, then Mary knows x.”
- (5) *Susan married a cowboy.*
 $\exists x(\text{COWBOY}(x) \wedge \text{MARRY}(s,x))$
 lit. “For some x it is the case that x is a cowboy and Susan married x.”⁴
- (6) *Ringo lives in a yellow submarine.*
 $\exists x(\text{YELLOW}(x) \wedge \text{SUBMARINE}(x) \wedge \text{LIVE_IN}(r,x))$
 lit. “For some x it is the case that x is yellow, and x is a submarine, and that Ringo lives in x.”

⁴We might be tempted to drop the indefinite determiner and formulate just $\text{MARRY}(s,c)$. However, note that “a cowboy” and “the cowboy” are different, in the sense that the former is a not further defined individual in the set of cowboys, while the latter refers to a particular individual.

Q&As

Section 1: Recap of Lecture 23

Section 2: Valency in Syntax and Semantics

Section 3: Formal Composition

Section 4: Translating Syntactic into Semantic Trees

Summary

References



Scope Ambiguities

“When a quantifier combines with another quantifier, with negation, or with various other elements [...], it can give rise to **ambiguities of scope**.”

Kroeger (2019). *Analyzing meaning*, p. 72.

(7) *Some man loves every woman.*

i. $\exists x(\text{MAN}(x) \wedge (\forall y(\text{WOMAN}(y) \rightarrow \text{LOVE}(x,y))))$

lit. “For some x it is the case that x is a man and (for all y it is the case that if y is a woman then x loves y).”

ii. $\forall y(\text{WOMAN}(y) \rightarrow (\exists x(\text{MAN}(x) \wedge \text{LOVE}(x,y))))$

lit. “For all y it is the case that if y is a woman then there is an x which is a man and loves y.”

(8) *All that glitters is not gold.*

i. $\forall x(\text{GLITTER}(x) \rightarrow \neg \text{GOLD}(x))$

lit. “For all x it is the case that if x glitters then x is not gold.”

ii. $\neg \forall x(\text{GLITTER}(x) \rightarrow \text{GOLD}(x))$

lit. “It is not the case for all x that if x glitters then x is gold.”

Note: In the first case the ambiguity is between whether the existential quantifier scopes over the universal quantifier, or the other way around. In the second example the ambiguity is whether the negation scopes over the universal quantifier or the other way around.

Q&As

Section 1: Recap
of Lecture 23

Section 2:
Valency in Syntax
and Semantics

Section 3: Formal
Composition

Section 4:
Translating
Syntactic into
Semantic Trees

Summary

References



Universal Instantiation

We can now translate the classical types of inferences (which are not covered by propositional logic) into predicate logic notation. Below is a classic inference called **universal instantiation**. By using a variable x bound by the universal quantifier (Premise 1), and then specifying this variable as a constant symbol (Premise 2), we adhere to a valid pattern of inference.

(9) Premise 1: **All men are mortal.** $\forall x(\text{MAN}(x) \rightarrow \text{MORTAL}(x))$
 Premise 2: *Socrates is a man.* $\text{MAN}(s)$

Conclusion: *Therefore, Socrates is mortal.* $\text{MORTAL}(s)$

Q&As

Section 1: Recap of Lecture 23

Section 2: Valency in Syntax and Semantics

Section 3: Formal Composition

Section 4: Translating Syntactic into Semantic Trees

Summary

References



Existential Generalization

Another classic example is the so-called **existential generalization**. By asserting that two predicates are true for the same constant symbol (premise 1 and premise 2), we can generalize that there has to be a variable x for which both predicates hold.

- (10) Premise 1: *Arthur is a lawyer.* $\text{LAWYER}(a)$
 Premise 2: *Arthur is honest.* $\text{HONEST}(a)$

Conclusion: *Therefore, **some (= at least one) lawyer is honest.***

$\exists x(\text{LAWYER}(x) \wedge \text{HONEST}(x))$

Q&As

Section 1: Recap
of Lecture 23

Section 2:
Valency in Syntax
and Semantics

Section 3: Formal
Composition

Section 4:
Translating
Syntactic into
Semantic Trees

Summary

References



Model Theory

“In order to develop and test a set of interpretive rules [...] it is important to provide very explicit descriptions for the test situations. As stated above, this kind of **description of a situation is called a model**, and must include two types of information: (i) **the domain**, i.e., the set of all individual entities in the situation; and (ii) the **denotation sets for the basic vocabulary items** [constant symbols, predicates] in the expressions being analyzed.”

Kroeger (2019). Analyzing meaning, p. 240.

Q&As

Section 1: Recap
of Lecture 23

Section 2:
Valency in Syntax
and Semantics

Section 3: Formal
Composition

Section 4:
Translating
Syntactic into
Semantic Trees

Summary

References



Example Denotations

Let us further assume the **denotation sets** of three predicates and three constant symbols. These denotation sets specify which individuals of U a particular expression can possibly denote.

$\llbracket \text{MAN} \rrbracket = \{\text{King Henry VIII, Thomas Moore}\}$

$\llbracket \text{WOMAN} \rrbracket = \{\text{Anne Boleyn}\}$

$\llbracket \text{SNORE} \rrbracket = \{\text{King Henry VIII}\}$

$\llbracket h \rrbracket = \{\text{King Henry VIII}\}$

$\llbracket a \rrbracket = \{\text{Anne Boleyn}\}$

$\llbracket t \rrbracket = \{\text{Thomas Moore}\}$

Q&As

Section 1: Recap
of Lecture 23

Section 2:
Valency in Syntax
and Semantics

Section 3: Formal
Composition

Section 4:
Translating
Syntactic into
Semantic Trees

Summary

References



Example Model Evaluation

Based on our **example model**, consisting of the example domain and the example universal set, we can now evaluate the truth values of predicate logic expressions. One-place predicates are evaluated by whether the constant symbol is a member of the denotation set of the predicate. Logical operators are evaluated the same way as in propositional logic. Quantifiers are evaluated according to subset relations.

See Kroeger (2019). *Analyzing meaning*, p. 241.

Q&As

Section 1: Recap of Lecture 23

Section 2: Valency in Syntax and Semantics

Section 3: Formal Composition

Section 4: Translating Syntactic into Semantic Trees

Summary

References

English sentence	logical form	interpretation	truth value
a. <i>Thomas More is a man.</i>	$\text{MAN}(t)$	$\text{Thomas More} \in \llbracket \text{MAN} \rrbracket$	T
b. <i>Anne Boleyn is a man or a woman.</i>	$\text{MAN}(a) \vee \text{WOMAN}(a)$	$\text{Anne Boleyn} \in (\llbracket \text{MAN} \rrbracket \cup \llbracket \text{WOMAN} \rrbracket)$	T
c. <i>Henry VIII is a man who snores.</i>	$\text{MAN}(h) \wedge \text{SNORE}(h)$	$\text{Henry VIII} \in (\llbracket \text{MAN} \rrbracket \cap \llbracket \text{SNORE} \rrbracket)$	T
d. <i>All men snore.</i>	$\forall x[\text{MAN}(x) \rightarrow \text{SNORE}(x)]$	$\llbracket \text{MAN} \rrbracket \subseteq \llbracket \text{SNORE} \rrbracket$	F
e. <i>No women snore.</i>	$\neg \exists x[\text{WOMAN}(x) \wedge \text{SNORE}(x)]$	$\llbracket \text{WOMAN} \rrbracket \cap \llbracket \text{SNORE} \rrbracket = \emptyset$	T



Section 2: Valency in Syntax and Semantics



Formal Definition: Extensions

Remember that within **denotational semantics** meaning is construed as the mapping between a given word and the real-world object it refers to (reference theory of meaning). More generally, words, phrases or sentences are said to have **extensions**, i.e. real-world objects/actions/states they refer to.

Zimmermann & Sternefeld (2013), p. 71.

Q&As

Section 1: Recap
of Lecture 23

Section 2:
Valency in Syntax
and Semantics

Section 3: Formal
Composition

Section 4:
Translating
Syntactic into
Semantic Trees

Summary

References

Type of expression	Type of extension	Example	Extension of example
proper name	individual	<i>Paul</i>	Paul McCartney
definite description	individual	<i>the biggest German city</i>	Berlin
noun	set of individuals	<i>table</i>	the set of tables
intransitive verb	set of individuals	<i>sleep</i>	the set of sleepers
transitive verb	set of pairs of individuals	<i>eat</i>	the set of pairs $\langle \textit{eater}, \textit{eaten} \rangle$
ditransitive verbs	set of triples of individuals	<i>give</i>	the set of triples $\langle \textit{donator}, \textit{recipient}, \textit{donation} \rangle$



Formal Definition: Extensions

“Let us denote the **extension** of an expression A by putting double brackets ‘ $\llbracket \ \rrbracket$ ’ around A , as is standard in semantics. The extension of an expression depends on the **situation s** talked about when uttering A ; so we add the index s to the closing bracket.”

Zimmermann & Sternefeld (2013), p. 85.

$\llbracket \text{Paul} \rrbracket_s = \llbracket \text{p} \rrbracket_s = \text{Paul McCartney}^5$

$\llbracket \text{table} \rrbracket_s = \llbracket \text{TABLE} \rrbracket_s = \{ \text{table}_1, \text{table}_2, \text{table}_3, \dots, \text{table}_n \}^6$

$\llbracket \text{sleep} \rrbracket_s = \llbracket \text{SLEEP} \rrbracket_s = \{ \text{sleeper}_1, \text{sleeper}_2, \text{sleeper}_3, \dots, \text{sleeper}_n \}$

$\llbracket \text{eat} \rrbracket_s = \llbracket \text{EAT} \rrbracket_s =$

$\{ \langle \text{eater}_1, \text{eaten}_1 \rangle, \langle \text{eater}_2, \text{eaten}_2 \rangle, \dots, \langle \text{eater}_n, \text{eaten}_n \rangle \}$

⁵Zimmermann & Sternefeld just put the full proper name in brackets here, Kroeger follows another convention and just put the first letter in lower case, e.g. $\llbracket \text{p} \rrbracket_s$.

⁶Kroeger (2019) uses upper case notation for both nouns and predicates, e.g. TABLE and SLEEP respectively.

Q&As

Section 1: Recap
of Lecture 23

Section 2:
Valency in Syntax
and Semantics

Section 3: Formal
Composition

Section 4:
Translating
Syntactic into
Semantic Trees

Summary

References



Valence according to Tesnière

“Nous avons vu qu’il y avait des verbes sans actant, des verbes à un actant, des verbes à deux actants et des verbes à trois actants.”

Tesnière (1959). *Éléments de syntaxe structurale*, p. 238.

	Verb	V	V	V	V
				/ \	/ \
	Arguments	—	A	A A	A A A
Sentence Type:		impersonal sentence	intransitive sentence	transitive sentence	ditransitive sentence
Valency:		avalent (0)	monovalent (1), one-place predicate	bivalent (2), two-place predicate	trivalent (3), three-place predicate

Note: Müller states that the pronouns in expletives (e.g. *it rains*) should be considered obligatory arguments of the verb, while Tesnière explicitly calls them “sans actant”.

Q&As

Section 1: Recap of Lecture 23

Section 2: Valency in Syntax and Semantics

Section 3: Formal Composition

Section 4: Translating Syntactic into Semantic Trees

Summary

References



Valence according to Tesnière

“Nous avons vu qu’il y avait des verbes sans actant, des verbes à un actant, des verbes à deux actants et des verbes à trois actants.”

Tesnière (1959). *Éléments de syntaxe structurale*, p. 238.

Verb
|
Arguments

Example:

pleut
|
_ (il)

il pleut
“it rains”

dort
|
Alfred

Alfred dort
“Alfred sleeps”

frappe
/ \
Alfred Bernard

*Alfred frappe
Bernard*
“Alfred hits Bernard”

donne
/ \
Alfred le livre Ch.

*Alfred donne le livre
à Charles*
“Alfred gives the
book to Charles”

Q&As

Section 1: Recap
of Lecture 23

Section 2:
Valency in Syntax
and Semantics

Section 3: Formal
Composition

Section 4:
Translating
Syntactic into
Semantic Trees

Summary

References



Valency in Semantics

“[...] one may detect an increasing complexity concerning the so-called **valency of verbs** [...] Corresponding to these types of predicates there are **three-place tuples (triples)**, **two-place tuples (pairs)** and **one-place tuples (individuals)**.”

Parallelism between valency and type of extension:

The extension of an n -place verb is always a set of n -tuples.

Zimmermann & Sternefeld (2013), p. 72.

Verb	Valency	Extension
<i>sleep</i>	monovalent	$[[\text{SLEEP}]]_s = \{\text{sleeper}_1, \text{sleeper}_2, \dots, \text{sleeper}_m\}$
<i>see</i>	bivalent	$[[\text{SEE}]]_s = \{\langle \text{seer}_1, \text{seen}_1 \rangle, \dots, \langle \text{seer}_m, \text{seen}_m \rangle\}$
<i>give</i>	trivalent	$[[\text{GIVE}]]_s = \{\langle \text{giver}_1, \text{receiver}_1, \text{given}_1 \rangle, \dots, \langle \text{giver}_m, \text{receiver}_m, \text{given}_m \rangle\}$

Note: We use m instead of n here as an index, in order to not confuse it with the n representing the valency.

Q&As

Section 1: Recap
of Lecture 23

Section 2:
Valency in Syntax
and Semantics

Section 3: Formal
Composition

Section 4:
Translating
Syntactic into
Semantic Trees

Summary

References



Filling of Arguments/Gaps

As the arguments of an n -place verb are “filled in”, the extensions change according to how many *components*⁷ are in the tuples.⁸

Zimmermann & Sternefeld (2013). Introduction to semantics, p. 72.

Verb or VP	Valency	Extension
_ shows _ _	3	set of all triples $\langle a, b, c \rangle$ where a shows b c
_ shows the president _	2	set of all pairs $\langle a, c \rangle$ where a shows the president c
_ shows the president the Vatican Palace	1	set of all individuals (1-tuples) $\langle a \rangle$ where a shows the president the Vatican Palace
The Pope shows the president the Vatican Palace	0	set of all 0-tuples $\langle \rangle$ where the Pope shows the president the Vatican Palace

⁷Zimmermann & Sternefeld (2013), p. 67 point out that we speak of *components* of tuples (ordered lists), but *elements* of sets.

⁸Note: the individuals (constant symbols) are here given as a , b , and c . In the Kroeger (2019) notation, we would use p_1 , p_2 , v (the first letter of the respective name).

Q&As

Section 1: Recap
of Lecture 23

Section 2:
Valency in Syntax
and Semantics

Section 3: Formal
Composition

Section 4:
Translating
Syntactic into
Semantic Trees

Summary

References



Interlude: 0-Valence and Truth Values

If we have a complete sentence with all arguments filled, then the verb strictly speaking has **zero valence**, and the extension of the sentence is the **set of zero-tuples**. This might seem strange at first, but note that this leads to *Frege's Generalization*, namely that the **extension of a sentence is its truth value**.

Zimmermann & Sternefeld (2013), p. 74.

S: The Pope shows the president the Vatican Palace.

$[[S]]_s = \{\emptyset\} \equiv 1 \equiv T$, with s being a situation in which the Pope *actually* shows the president the Vatican Palace.

$[[S]]_s = \emptyset \equiv 0 \equiv F$, with s being a situation in which the Pope *does not* show the president the Vatican Palace.

Q&As

Section 1: Recap
of Lecture 23

Section 2:
Valency in Syntax
and Semantics

Section 3: Formal
Composition

Section 4:
Translating
Syntactic into
Semantic Trees

Summary

References



Section 3: Formal Composition



Combinatoriality in Semantics

- (11) Kim sieh-t ein-en groß-en Baum .
kim see-PRS.3SG DET.INDF-ACC.SG big-ACC.SG tree.ACC.SG
“Kim sees a big tree.”
 $\exists x(\text{TREE}(x) \wedge \text{BIG}(x) \wedge \text{SEE}(k,x))$

In the example above, the meaning of the overall sentence arguably derives as a *combination* of the meanings of the individual parts.

Q&As

Section 1: Recap
of Lecture 23

Section 2:
Valency in Syntax
and Semantics

Section 3: Formal
Composition

Section 4:
Translating
Syntactic into
Semantic Trees

Summary

References



Formal Composition

“**Compositional semantic theories** assume that syntax and semantics work in parallel. For each *phrase structure rule* that combines two expressions into a larger phrase, there is a corresponding *semantic rule* which combines the meanings of the parts into the meaning of the newly formed expression.”

Kearns (2011). Semantics, p. 57.

Q&As

Section 1: Recap
of Lecture 23

Section 2:
Valency in Syntax
and Semantics

Section 3: Formal
Composition

Section 4:
Translating
Syntactic into
Semantic Trees

Summary

References



Type Theory

“Linguistic expressions are classified into their **semantic types** according to the kind of denotation they have. The two most basic denotation types are **type e**, the type of **entities**, and **type t**, the type of **truth values**.”

Kearns (2011). Semantics, p. 57.

Q&As

Section 1: Recap
of Lecture 23

Section 2:
Valency in Syntax
and Semantics

Section 3: Formal
Composition

Section 4:
Translating
Syntactic into
Semantic Trees

Summary

References

Type of expression	Type of extension	Semantic type	Example
proper name	individual (entity)	e	$[[\text{Paul}]]_s = \text{Paul McCartney}$
...
sentence	truth value	t	$[[\text{Paul is happy}]]_s \in \{0, 1\}$



Functional Application

“[...] a function binds arguments together into a statement. From this insight, Frege proposed that all semantic composition is **functional application**. Functional application is just the combination of a function with an argument.”

Kearns (2011), p. 58.

Formal Definition

“We can define the following **combinatorial rule** for [...] typed expressions:

If α is of type $\langle b, a \rangle$ and β of type b , then $\alpha(\beta)$ is of type a .

This type of combination is called **functional application**.”

Müller (2019), p. 188.

Q&As

Section 1: Recap
of Lecture 23

Section 2:
Valency in Syntax
and Semantics

Section 3: Formal
Composition

Section 4:
Translating
Syntactic into
Semantic Trees

Summary

References



Example: Recursive Application

$$\alpha(\beta) = a$$

$$\alpha = \langle b, a \rangle \quad \beta = b$$

Note: The **functional application** of the component b to the tuple $\langle b, a \rangle$ is a mapping from b to a (this is how mathematical functions are defined, see also Kroeger (2019), p. 235 on relations and functions). For illustration, this might be thought of as an inference: the tuple expresses *if b then a* . b expresses *b is the case*, hence we get a . Importantly, it is always the *left component* in a tuple that is the argument, and the *right component* is the outcome *value*.

Q&As

Section 1: Recap
of Lecture 23

Section 2:
Valency in Syntax
and Semantics

Section 3: Formal
Composition


Section 4:
Translating
Syntactic into
Semantic Trees

Summary

References



Example: Recursive Application



Note: We can apply functional application recursively add infinitum to create a **binary tree**. Binarization is a **fixed constraint in type-theoretic semantic analysis**. Note that it a and b always switch here, since it is always the left component in the tuple that is the argument.

Q&As

Section 1: Recap
of Lecture 23

Section 2:
Valency in Syntax
and Semantics

Section 3: Formal
Composition


Section 4:
Translating
Syntactic into
Semantic Trees

Summary

References



Example: Recursive Application



Note: Binarization does **not** mean that there are only a maximum of two components in each overall tuple. Instead there can be infinitely many 2-tuple embeddings. But each individual tuple can only have two components. Hence, we can build more complex semantic types out of the two basic types e and t .

Q&As

Section 1: Recap
of Lecture 23

Section 2:
Valency in Syntax
and Semantics

Section 3: Formal
Composition

Section 4:
Translating
Syntactic into
Semantic Trees

Summary

References




Section 4: Translating Syntactic into Semantic Trees



Interlude: Syntax Trees

We will now translate **syntactic trees** into **type-theoretic trees** that are eventually used in semantic analyses to compose the meaning of constituents and whole sentences. Note: While often X-bar theoretic trees are used in parallel to semantic analyses, we will use simple PSG trees here for illustration (see also Kearns (2011), p. 59). Importantly, these need to be **binarized trees**.



Q&As

Section 1: Recap
of Lecture 23

Section 2:
Valency in Syntax
and Semantics

Section 3: Formal
Composition

Section 4:
Translating
Syntactic into
Semantic Trees



Summary

References



Semantic Types: One-Place Predicates

An **intransitive verb** requires **one argument** to be filled in order to form a full sentence, hence it is of the **type** $\langle e, t \rangle$. Remember that the argument is on the left side of the tuple, hence the component of type *entity* (e) is left.



Q&As

Section 1: Recap
of Lecture 23

Section 2:
Valency in Syntax
and Semantics

Section 3: Formal
Composition

Section 4:
Translating
Syntactic into
Semantic Trees



Summary

References



Semantic Types: Two-Place Predicates

A **transitive verb** requires **two arguments** to be filled in order to form a full sentence, hence it is of the **type** $\langle e, \langle e, t \rangle \rangle$.



Q&As

Section 1: Recap of Lecture 23

Section 2: Valency in Syntax and Semantics

Section 3: Formal Composition

Section 4: Translating Syntactic into Semantic Trees



Summary

References



Semantic Types: Three-Place Predicates

A **ditransitive verb** requires **three arguments** to be filled in order to form a full sentence, hence it is of the **type** $\langle e, \langle e, \langle e, t \rangle \rangle \rangle$.



Q&As

Section 1: Recap
of Lecture 23

Section 2:
Valency in Syntax
and Semantics

Section 3: Formal
Composition

Section 4:
Translating
Syntactic into
Semantic Trees



Summary

References



Semantic Types: Nouns

Common nouns are of type **type** $\langle e, t \rangle$. This might seem counterintuitive at first sight, but the idea here is that nouns are essentially like **one-place predicates**, in the sense that they require a concrete entity (e) to form a basic existential statement (with a copular) which can be true or false.



Note: This corresponds to the predicate logic formulation $\text{DOG}(m)$, where the copula and the indefinite determiner are also dropped. As pointed out earlier in the lecture, the copula is a problematic and controversial case, and the syntactic tree given here is unusual in that it does not have a verb.

Q&As

Section 1: Recap of Lecture 23

Section 2: Valency in Syntax and Semantics

Section 3: Formal Composition


Section 4: Translating Syntactic into Semantic Trees

Summary

References



Alternative Analysis?



Q&As

Section 1: Recap
of Lecture 23

Section 2:
Valency in Syntax
and Semantics

Section 3: Formal
Composition

Section 4:
Translating
Syntactic into
Semantic Trees

Summary



References

Note: This might seem like a valid alternative, but notice that the type of *a dog* has to be e now, meaning that it is an individual, rather than a set of individuals. So this would break with the fundamental definition that indeterminate expressions have sets as their extensions.



Semantic Types: NPs and Determiners

NPs are of **type e**, i.e. referring to a concrete entity. Note that it follows from this definition and the definition of common nouns above that **determiners** then have to be of **type $\langle\langle e,t \rangle, e\rangle$** .



Note: This illustrates the semantic argument for why phrases consisting of nouns and determiners are considered NPs, rather than DPs. It seems clear that an NP can refer to a concrete entity (e), but if we consider the determiner to be the head of the phrase, it is not clear what the reference would be.

Q&As

Section 1: Recap of Lecture 23

Section 2: Valency in Syntax and Semantics

Section 3: Formal Composition

Section 4: Translating Syntactic into Semantic Trees



Summary

References



Semantic Types: Adjectives

Similar to common nouns, **adjectives** are considered to be of **type** $\langle e,t \rangle$. The same argument applies: they require a concrete entity (e) to form a basic existential statement (with a copular) which can be true or false.



Note: This is a tricky case on the syntactic side. Remember that we said in the case of copular clauses, the copula is not the head of the phrase, but rather the noun or adjective. On the other hand, we have to assume that this is a complete sentence, since it corresponds to type t on the semantic side. Also, we are not dealing with NPs here where the adjective modifies a noun as in *happy dog*. This can only be dealt with when we extend the analyses to Lambda calculus.

Q&As

Section 1: Recap of Lecture 23

Section 2: Valency in Syntax and Semantics

Section 3: Formal Composition

Section 4: Translating Syntactic into Semantic Trees


Summary

References



Semantic Types: Adverbs

Adverbs are considered type $\langle\langle e,t \rangle, \langle e,t \rangle\rangle$. Note that similar as for determiners, this is a logical consequence of the definition of other types, i.e. the definition of a one-place predicate modified by an adverb.



Q&As

Section 1: Recap
of Lecture 23

Section 2:
Valency in Syntax
and Semantics

Section 3: Formal
Composition

Section 4:
Translating
Syntactic into
Semantic Trees

Summary

References



Summary: Semantic Types

Type of Expression

Semantic Type

Proper names

e

Sentences

t

Nouns

$\langle e, t \rangle$

Adjectives

$\langle e, t \rangle$

One-Place Predicates

$\langle e, t \rangle$

Two-Place Predicates

$\langle e, \langle e, t \rangle \rangle$

Three-Place Predicates

$\langle e, \langle e, \langle e, t \rangle \rangle \rangle$

Determiners

$\langle \langle e, t \rangle, e \rangle$

Adverbs

$\langle \langle e, t \rangle, \langle e, t \rangle \rangle$

Q&As

Section 1: Recap
of Lecture 23

Section 2:
Valency in Syntax
and Semantics

Section 3: Formal
Composition

Section 4:
Translating
Syntactic into
Semantic Trees

Summary

References



Summary



Summary

- ▶ **Valency** is a basic concept which links (some) formal syntactic and semantic accounts. The obligatory arguments of a verb in syntax are arguments of the respective predicate in semantics.
- ▶ **Type theory** is a formal semantic account enabling compositionality from the most **basic entities (type e)** to **sentences (type t)** in a recursive manner.
- ▶ **Syntactic trees** (here PSG trees) can then be mapped onto **type-theoretic trees**.

Q&As

Section 1: Recap of Lecture 23

Section 2: Valency in Syntax and Semantics

Section 3: Formal Composition

Section 4: Translating Syntactic into Semantic Trees

Summary

References



References



References

Kearns, Kate (2011). *Semantics*. Second edition. Palgrave Macmillan.

Kroeger, Paul R. (2019). *Analyzing meaning. An introduction to semantics and pragmatics*. Second corrected and slightly revised version. Berlin: Language Science Press.

Zimmermann, Thomas E. & Sternefeld, Wolfgang (2013). *Introduction to semantics. An essential guide to the composition of meaning*. Mouton de Gruyter.

Q&As

Section 1: Recap
of Lecture 23

Section 2:
Valency in Syntax
and Semantics

Section 3: Formal
Composition

Section 4:
Translating
Syntactic into
Semantic Trees

Summary

References



Thank You.

Contact:

Faculty of Philosophy

General Linguistics

Dr. Christian Bentz

SFS Wihlemstraße 19-23, Room 1.24

chris@christianbentz.de

Office hours:

During term: Wednesdays 10-11am

Out of term: arrange via e-mail